

Applications

- Steel Structures-Oil, Textile industries, Nuclear reactor

Features

- Resistance to crack
- High Efficiency
- Resistance to corrosion

Typical Chemical Composition of the Wire (%)

C	Si	Mn	Cr	Ni
0.02	0.36	1.70	20.0	10.3

Typical Mechanical Properties of All-Weld Metal

TS MPa	EL(%)	Temp °C(°F)	CVN- Impact value J (ft.lbs)
600	41	0(32)	110 (81)

Dimensions and Packing Details

Shielding Gas

1.00mm x 1000mm 5Kg Tube
 1.20mm x 1000mm 5Kg Tube
 1.60mm x 1000mm 5Kg Tube
 2.0mm x 1000mm 5Kg Tube
 2.40mm x 1000mm 5Kg Tube
 3.20mm x 1000mm 5Kg Tube

Ar